Request Form for Translation

Translation Branch
The world of foreign prior art to you.

				Translations
U. S. Serial No.:	09/926,817	_	: 24	
Requester's Name:	Chris Bruenjes			
Phone No.:	302-3440	<u>.</u>	2	
Fax No.:		.		
Office Location:	CP3 11001	DTO 20	03-3827	7
Art Unit/Org.:	1772			
Group Director:		S.T.I.C. Translatio	ns Branch	
Is this for Board of P	atent Appeals?	••	Phone:	308-0881
- CD	C (2100		Fax:	308-0989
Date of Request:	6/3/03		Location:	Crystal Plaza 3/4
Date Needed By: Please do not write ASAP-ina	2-3 wks			Room 2C01
(Freeze do not write ADAI - III	neare a specific aarej			
SPE Signature Requi	red for RUSH:	. ~		
			To assist u	s in providing the
Document Identificati	most cost effective service,			
(Note: Please ottach a complete	te, legible copy of the document to	be translated to this Torm)	please answ	ver these questions:
				ccept an English
1. X Patent	Document No.	09254339	Language	Equivalent?
	Language	Japanese		oquivaicht.
	Country Code	76	Yes	(Yes/No)
) NCD	Publication Date	09/30/97		-()
No. of P	ages (filled i	y STIC)	Will you ac	cept an English
. Article	Author		abstract?	•
" Article	Language			
	Country	·	No	(Yes/No)
		·····		
• Other	Type of Documen	t	Wouldman	1:114-4!
	Country	•		like a consultation lator to review the
	Language		1	rior to having a
Ocument Delivery (Se	lect Preference):			itten translation?
Delivery to near	est EIC/Office Date:	(STIC Only)		
X Call for Pick-up	· · · · · · · · · · · · · · · · · · ·	7~11-83 (STIC Only)	No.	(Yes/No)
Fax Back	Date:	(STIC Only)		
TIC USE ONLY	IT (Par. D)	KNOT E. Min	6-12.03	
opv/Search		Translation	Q-11.0)	
rocessor:	Malleran_	<u>Translation</u> Date logged in:	1 1	03
. +	013103	PTO estimated word	- Y	
ate filled:	0/3/03	Number of pages:		M
quivalent found:	(Yes/No)	In-House Translatio	n Available:	1
	,	In-House:	Contrac	ctor:
Ooc. No.:		Translator:	Name:	SM
C untry:		Assigned:	Priorit	y:
emarks:		Returned:	Sent:	6.503
			Return	ed: <u>4-11-03</u>
				•

Generate Collection Print

Search Results - Record(s) 1 through 2 of 2 returned.

☐ 1. Document ID: JP 09254339 A

L1: Entry 1 of 2

File: JPAB

Sep 30, 1997

PUB-NO: JP409254339A

DOCUMENT-IDENTIFIER: JP 09254339 A
TITLE: MULTILAYERED LAMINATED BODY

PUBN-DATE: September 30, 1997

INVENTOR-INFORMATION:

NAME

COUNTRY

KODAMA, KAZUHISA FUJIMAKI, KANAME KAMISHINA, JUNJI

ASSIGNEE-INFORMATION:

NAME

COUNTRY

JAPAN SYNTHETIC RUBBER CO LTD

APPL-NO: JP08091850

APPL-DATE: March 22, 1996

INT-CL (IPC): <u>B32</u> <u>B</u> <u>27/32</u>; <u>B32</u> <u>B</u> <u>25/16</u>; <u>C08</u> <u>L</u> <u>9/00</u>; <u>C08</u> <u>L</u> <u>23/14</u>

ABSTRACT:

PROBLEM TO BE SOLVED: To obtain a multilayered laminated body, which is excellent in transparency, flexibility, heat sealing strength or the like and the transparency of which scarcely changes with time by a method wherein surface layer made of polypropylene-based resin is laminated onto one side of a base material layer consisting of polypropylene-based resin and specified hydrogenated diene-based polymer.

SOLUTION: The base material layer of this multilayered laminated body is made of resin composition C consisting of 95-20wt.% of polypropylene-based resin A and 5-80wt.% of hydrogenated diene-based polymer B, which is obtained by hydrogenating the double bond in the conjugated diene portion of at least one kind of polymer made mainly of the random copolymer portion between conjugated diene compound and aromatic vinyl compound. Onto one side of the base material layer, the surface layer made of resin composition D consisting of 100-50wt.% of the polypropylene-based resin A and 0-50wt.% of at least one kind of the hydrogenated diene polymer B, is laminated for obtaining the multilayered laminated body.

COPYRIGHT: (C) 1997, JPO

Full Titl	e Citation	Front f	Review	Classification	Date	Reference	Sequences	Attachments	KWI
Drawu Desc	Image								
aw Desc	Image								

2. Document ID: JP 09254339 A

П

L1: Entry 2 of 2

File: DWPI

Sep 30, 1997

DERWENT-ACC-NO: 1997-531572

DERWENT-WEEK: 199749

COPYRIGHT 2003 DERWENT INFORMATION LTD

TITLE: Laminated matter used for cloth wrapping film, book cover, etc. - comprises a base and surface layer of polypropylene@ group resin and hydrogenated diene group copolymer

PATENT-ASSIGNEE:

ASSIGNEE CODE
NIPPON GOSEI GOMU KK JAPS

PRIORITY-DATA: 1996JP-0091850 (March 22, 1996)

PATENT-FAMILY:

PUB-NO PUB-DATE LANGUAGE PAGES MAIN-IPC
JP 09254339 A September 30, 1997 008 B32B027/32

APPLICATION-DATA:

PUB-NO APPL-DATE APPL-NO DESCRIPTOR

JP 09254339A March 22, 1996 1996JP-0091850

INT-CL (IPC): <u>B32</u> <u>B</u> <u>25/16</u>; <u>B32</u> <u>B</u> <u>27/32</u>; <u>C08</u> <u>L</u> <u>9/00</u>; <u>C08</u> <u>L</u> <u>23/14</u>

ABSTRACTED-PUB-NO: JP 09254339A

BASIC-ABSTRACT:

The laminated matter is composed of a base layer consisting of 95-20 wt.% polypropylene group resin and 5-80 wt.% hydrogenated diene group copolymer, and a surface layer consisting of 100-50 wt.% polypropylene group resin and 0-50 wt.% diene group copolymer.

USE - The laminated matter is used for cloth wrapping film, book cover, electronics circuit forming film, etc..

ADVANTAGE - The laminated matter has good transparency, softness, cold resistance, fused breaking strength, heat sealing strength, and small secular change of transparency.

CHOSEN-DRAWING: Dwg.0/0

TITLE-TERMS: LAMINATE MATTER CLOTH WRAP FILM BOOK COVER COMPRISE BASE SURFACE LAYER POLYPROPYLENE® GROUP RESIN HYDROGENATION DIENE GROUP COPOLYMER

DERWENT-CLASS: A12 A17 A94 P73

CPI-CODES: A04-G03E1; A10-E13; A12-S06C1;

ENHANCED-POLYMER-INDEXING:

Polymer I ndex [1.1] 018; R00964 G0044 G0033 G0022 D01 D02 D12 D10 D51 D53 D58 D83; H0000; H0011*R; S9999 S1547 S1536; S9999 S1285*R; P1150; P1343 Polymer Index [1.2] 018; G0817*R D01 D51 D54; H0000; H0011*R; M9999 M2722 M2711; S9999 S1547 S1536; S9999 S1285*R Polymer Index [1.3] 018; ND01; Q9999 Q7818*R; B9999 B4397 B4240; B9999 B3827 B3747; B9999 B4682 B4568; K9665; B9999 B4091*R B3838 B3747; B9999 B5312 B5298 B5276; Q9999 Q7454 Q7330; Q9999 Q6804; Q9999 Q8560 Q8366; K9518 K9483; K9745*R; N9999 N6597 N6586; N9999 N5970*R; N9999 N7192 N7023; K9687 K9676; K9712 K9676; K9449; K9574 K9483 Polymer Index [1.4] 018; R01694 D00 F20 O* 6A Si 4A; A999 A237

SECONDARY-ACC-NO:

CPI Secondary Accession Numbers: C1997-169603 Non-CPI Secondary Accession Numbers: N1997-442731